



# ASCI PathForward Project



### PathForward Project



Lawrence Livermore National Laboratory

Los Alamos National Laboratory

Sandia National Laboratory

U.S. Department of Energy, Defense Programs





### PathForward Project Team

Bob Deri, LLNL Karl-Heinz Winkler, LANL Art Hale, SNL Dick Watson, LLNL Paul Smith, DOE

Gary Kent, DOE





### A PathForward Strategy

Build future high end computing systems from building blocks (hardware and software) created to address the commodity computing marketplace.

• concentrate investments (which are small compared to the commodity marketplace R&D) very carefully in those areas (hardware and software) which will enable commodity systems to be scaled-up to satisfy high-end computing requirements





### PathForward Project

"Establish multi-year development and engineering efforts to create the critical integrating and scaling technologies required for balanced computing environments at the scale of 10 to 30 TeraFLOPS (TFLOPS) in the late 1999 to 2001 timeframe."



### Balanced "Ultra-Scale" Computing



- ◆ Balanced systems at 10 -100 TFLOPS scale place stringent requirements on the internode interconnect, I/O and storage subsystems, distributed system software, and programming environment.
- ASCI balanced systems ratios (hardware):
  - 1 TeraFLOPS peak performance /
  - 1 Terabyte memory size / 50 Terabyte disk storage /
  - 16 Terabyte per second cache bandwidth / 3 Terabyte per second memory bandwidth /
  - 0.1 Terabyte per second I/O bandwidth / 10 Gigabyte per second disk bandwidth /
  - 1 Gigabyte per second archival storage bandwidth /
  - 10 Petabyte archival storage.

In scaling up over several orders of magnitude, these requirements will be difficult to achieve.



## PathForward Project: Development and Engineering Opportunities



- To achieve balanced, high-end, scientific computing at 10 TFLOPS and beyond,
- that can be made available on a time scale sufficiently rapid to impact future ASCI platform and subsystem procurements--notably 30 TFLOPS in the 2001 timeframe,
- that will accelerate extended capabilities of commercial product lines to market, and
- will not be created by commercial market forces in the time scale of interest.



### PathForward has a strategic focus



- extends beyond enhancement of existing platforms
- should impact multiple ASCI applications
- seeking widest possible impact on ASCI systems
  - software usable on multiple platforms
  - hardware impact on multiple generations



### PathForward Critical Technology Areas



- Finite Phase 1 funding limits our current scope to the most critical technologies
- Critical technology areas were identified in a preliminary exercise
- These are documented in the PathForward Project Description
- This is available at http://www.llnl.gov/asci-pathforward



### PathForward Critical Technology Areas



- Scaleable High-Performance Interconnects
- Distributed Parallel Operating System Software
- Parallel Scaleable Programming Environment
- Ultra-Scale, High-Performance Storage



### ASCI hardware requirements



Level	Effective Latency (CPU cycles)	Bandwidth (Random read/write)	Size		Primary investment priority
On-chip cache**, L1	2-3	16-32 B/cycle ●	10 ** B/flop *		Secondary
Off-chip cache**, L2 (SRAM)	5-6	16 B/cycle	10 ** B/flop *		investment priority
Local main memory (DRAM)	30-80 (15-30)	2-8 B/flop pk (2-8 B/flop sustained)	1 B/flop	Compute engine	1996-1998 Situation
"nearby nodes"	300-500 (30-50)	1-8 B/flop (8 B/flop)	1 B/flop ●	Interconnect	(1998-2000 Requirements)
"far away nodes"	1000 (100-200)	1 B/flop (1 B/flop)	1 B/flop ●		Industry Trend
I/O (memory disk)	10 ms	0.01-0.1 B/flop	10-100 B/flop ●		Industry gets better at meeting
Archive (disk-tape)	Seconds	10 <sup>-4</sup> B/flop (0.001-0.01 B/flop)	10 <sup>2</sup> B/flop 10 <sup>4</sup> B/flop		requirements  Industry gets
User access	1/10 s (1/60 s)	OC3/desktop (OC12-48 /desktop)	100 users		worse at meeting requirements
Multiple sites	1/10 s	•	•		Industry continues
<ul><li>* Equivalent integer and float</li><li>** Cacheless systems with equ</li></ul>	to meet requirements				



### ASCI software requirements



			1		
	Security	Scalability	Functionality & Performance	Portability	
Human/Computer Interface Visualization Internet technology	<b>Δ</b>	<b>♦</b> Δ	Visualization Internet	<b>^</b> •	
Application Environment	•	lacksquare	lack	$lack \Delta$	Industry meeting
Programming Environment  — programming model  — libraries  — compilers  — debuggers  — performance tools  — object technologies  — scientific data  Management	<b>ψ</b> Δ	<b>↓</b> Δ	<b>V</b> Δ	<b>ψ</b> Δ	requirement S Industry not meeting requirement S Requirements stay the same
Distributed Operating software — I/O — file systems — storage systems — reliability — network — comm systems — systems admin — distributed resource mgm	<b>†</b> Δ	<b>ψ</b> Δ	<b>*</b> \( \Delta \)	VΔ	Primary investment priority  Secondary investment priority
Diagnostics performance Monitors — systems health — state	<b>4</b> •	<b>♦</b> Δ	<b>•</b>	<b>†•</b>	





#### We welcome your feedback

- We welcome feedback and suggestions for additional technology focus areas
- PathForward scope is potentially broader than outlined in the Project Description
- We anticipate multiple iterations and interactions with companies in the course of establishing PathForward development activities





#### PathForward HomePage

- ASCI PathForward Project Overview
- Request For Expression of Interest
- PathForward Project Description
  This document describes the goals and technical rationale of the PathForward Project.
- ASCI PathForward Project Meeting
   This document announces a Project Meeting being held on January 16, 1997.
- ASCI homepage
   This webpage contains links to other ASCI projects and issues.
- ASCI Program Plan
   This document provides a global overview of the ASCI program.
- Frequently Asked Questions (FAQ)